

January 2018



Rytons DamRyt® Range Flood & Render Protectors

Technical information available from our website at:


www.vents.co.uk

Alternatively, call us on 01536 511874




Rytons DamRyt® Rytweep® Protector

- A simple plug for Rytons Rytweep to protect the outlet from water penetration during flooding or blockage during rendering.
- Prepare for flooding by fitting when on flood alert. Minimises much of the damage caused by flood water entering through the cavity.
- Fit before rendering to prevent the outlet becoming blocked. Alleviates the time consuming task of finding and cleaning out weeps later.
- Quick and simple to fit without the use of fixing tools.
- Flange aids correct positioning and helps prevent seepage.
- Made from durable material for use time and time again.
- Tell your insurer you have Rytweep flood protectors - it could help your premium.



Rytons DamRyt® Slim Vent® Protector

- A simple plug for Rytons Slim Vent Minor and Flyscreened Slim Vent Minor. Protects the outlet from water penetration during flooding or blockage during rendering.
- Prepare for flooding by fitting when on flood alert. Minimises much of the damage caused by flood water entering through the cavity.
- Fit before rendering to prevent the outlet becoming blocked. Alleviates the time consuming task of finding and cleaning out weeps later.
- Quick and simple to fit without the use of fixing tools.
- Flange aids correct positioning and helps prevent seepage.
- Made from durable material for use time and time again.
- Tell your insurer you have Slim Vent flood protectors - it could help your premium.



Rytons DamRyt® Air Brick Protector

Low level air bricks are often the first point of entry for flood water which can surge through at an alarming rate. Fitting Rytons DamRyt Air Brick Protectors to all low level air bricks, grilles and gratings will create a flood water barrier and prevent much of the destruction caused by sub-floor flooding.

“Buy specially designed covers that are easy to place over ventilation bricks.”
Environment Agency advice

- Surface mounted cover and frame set to protect any 9" x 3" air brick, grille and grating from flooding.
- Permanently fixed frame allows necessary sub-floor ventilation in normal circumstances. Cover can be snapped on in seconds when on flood alert.
- Red cover attracts attention and acts as a reminder to remove it when flood water has receded.
- Colour matched frame allows the property to retain a normal appearance when not on flood alert.
- Cover is quick and simple to fit without the use of fixing tools.
- Frame is easily installed by an experienced DIYer.
- Hidden seal inside the cover helps prevent water seepage.
- Made from durable material for use time and time again.
- Frame manufactured from U.V. stabilised plastic to slow down the effects of sunlight.
- Tell your insurer you have installed flood protection – it could help your premium.



1) Install the permanently fixed frame around the 9" x 3" air brick
2) Clip the cover to frame when on flood alert



3) Your air brick is now protected
Remove the cover as soon as flood water has receded

For more images, videos and technical information on Rytons DamRyt Flood Protection Range visit our web site at www.vents.co.uk

Size Guide

Frame:	300mm L x 145mm H x 10mm D overall external 240mm L x 86mm H internal aperture
Cover:	305mm L x 162mm H overall external

Colour Guide

Frame:	Terracotta, buff/sand
Cover:	Red

Product Guides & Services

As a UK ventilation manufacturer since 1972, we use all our expertise and experience to bring you outstanding product ranges and a service you can rely on.

View our product ranges, product guides and videos at www.vents.co.uk

- Boiler, Stove & Fire Ventilators (including Acoustic)
- Background Room Ventilators (including Acoustic)
- Louvre and Hit & Miss Ventilators
- Cavity Weeps, Slim Vents® & Air Bricks
- Roof Ventilators
- RytDuct® and RytHose (Rigid and Flexible Ducting)
- DamRyt® Flood Protection Range



FREE Delivery

Free delivery is available on orders of just **£75 nett** to any address on the UK mainland (including sites).

Next Day Delivery

Confirm your order before 3pm for delivery **next working day** across the majority of the UK mainland. Orders to Northern Ireland and the Republic of Ireland are normally delivered in 2-3 working days.

Here to Help

Call us on **01536 511874** or email admin@rytons.com with your quotes, questions or queries. Our offices are open 8:30am - 5:00pm weekdays and we are always happy to help.

Contact Us

Rytens Building Products Ltd
Design House
Kettering Business Park
Kettering
NN15 6NL

T: 01536 511874
F: 01536 310455
E: admin@rytons.com
www.vents.co.uk

