

January 2018



Rytons Roof Ventilators Plus Loft Access Hatches



Technical information available from our website at:


www.vents.co.uk

Alternatively, call us on 01536 511874




Roof Details and Ventilation Requirements

Pitched Roof Over 15° (A)




NOTE: 5mm required at ridge where pitch exceeds 35° or span exceeds 10m.

Room-in-Roof (B)




NOTE: where the ceiling is partially or completely sloping and the ventilation path is blocked i.e. by a roof light, the roof void should have additional ventilation openings immediately below and above the block (5mm below the block and 10mm above on a partially sloping ceiling and 5mm below and 25mm above on a completely sloping ceiling).


Pitched Roof Below 15° (C)




Mono-Pitched Roof (D)




Pitched Roof Dormer (E)



Cold Deck Flat Roof (F)













Flat Roof Abutment (G)



Rytons Product	Code	Suitable for Roof Details	Page
Rytons Push & Lock® Ventilator	PL235	A, D above 15°, E above 15°	4
Rytons Over Facia Ventilator	OFV1000	A, D above 15°, E above 15°	4
Rytons Low Pitch Over Facia Ventilator	OFV300	B, C, D below 15°, E below 15°, F, G	4
Rytons Abutment Ventilator	OFV300	G	4
Rytons Flat Roof/Abutment Ventilator	FR250	F, G	4
Rytons 10mm T-Strip	TS610BR	A, D above 15°, E above 15°	4
Rytons 25mm T-Strip	TS625BR	B, C, D below 15°, E below 15°	4
Rytons Refurbishment Ventilator	RV600	A, D above 15°, E above 15°	4
Rytons Rafter Roll Ventilator	RRV250	A, B, C, D, E, F, G	5
Rytons Roof Ventilator	TV600	A, B, C, D, E, F, G	5
Rytons Deep Roof Ventilator	TV6005D	A, B, C, D, E, F, G	5
Rytons Flyscreened Roof Ventilator	TV600F	A, D above 15°, E above 15°	5
Rytons Deep Flyscreened Roof Ventilator	TV600F5D	A, D above 15°, E above 15°	5
Rytons RytComb	RYTCOMB	A, B, C, D, E,	5






Rytons Roof & Soffit Ventilators

- All ventilation slots are sized 4mm wide to promote unrestricted air flow and prevent the entry of birds and large insects.

Rytons PL235 	Rytons Push & Lock® Ventilator <ul style="list-style-type: none"> Circular soffit ventilator. For wood or plastic boards. 70mm Int. Dia. 83mm Ext. Dia. 2,358mm² per unit. White, brown, black. 	Rytons OFV1000 	Rytons Over Facia Ventilator <ul style="list-style-type: none"> Over fascia ventilator. Unseen when roof completed. 1m L x 44mm W x 20mm H. 11,235mm² per length/metre. Black.
Rytons OFV300 	Rytons Low Pitch Over Facia Ventilator <ul style="list-style-type: none"> Low pitch over fascia ventilator. Unseen when roof completed. 297mm L x 59mm W x 45mm H. 7,500mm² per length. White. 	Rytons OFV300 	Rytons Abutment Ventilator <ul style="list-style-type: none"> Flat roof abutment ventilator. Form a void with timber upstand. 297mm L x 59mm W x 45mm H. 7,500mm² per length. White.
Rytons FR250 	Rytons Flat Roof/Abutment Ventilator <ul style="list-style-type: none"> Flat roof and abutment ventilator. Unseen when roof completed. 897mm L x 68mm W x 27mm H. 22,425mm² per length. Brown. 	Rytons TS610BL 	Rytons 10mm T-Strip <ul style="list-style-type: none"> Open eaves ventilation strip. Forms a flyscreen barrier. 610mm L x 24mm W x 47mm H. 6,645mm² per length. Black.
Rytons TS625BR 	Rytons 25mm T-Strip <ul style="list-style-type: none"> Open eaves ventilation strip. Forms a flyscreen barrier. 610mm L x 24mm W x 63mm H. 16,554mm² per length. Dark brown. 	Rytons RV600 	Rytons Refurbishment Ventilator <ul style="list-style-type: none"> Refurbishment roof tray. Fitted from the inside. 280mm L x 225mm D x 32mm H. 7,200mm² per unit. Clear.
Rytons RRV250 	Rytons Rafter Roll Ventilator <ul style="list-style-type: none"> Roll out roof ventilator. Suits any roof pitch and rafters. 4m L x 320mm D x 50mm H. 100,000mm² per length. Black. 	Rytons TV600 	Rytons Roof Ventilator <ul style="list-style-type: none"> Roof ventilation tray. Suits 600mm rafter centres. 620mm L x 250mm D x 45mm H. 19,000mm² per unit. Black.

Rytons Roof & Soffit Ventilators

- Flyscreen slots are sized 4mm wide to promote unrestricted air flow and prevent the entry of birds and large insects.

Rytons TV6005D 	Rytons Deep Roof Ventilator <ul style="list-style-type: none"> Double depth roof ventilation tray. Suits 600mm rafter centres. 620mm L x 500mm D x 45mm H. 19,000mm² per unit. Black. 	Rytons TV600F 	Rytons Flyscreened Roof Ventilator <ul style="list-style-type: none"> Flyscreened roof ventilation tray. Suits 600mm rafter centres. 620mm L x 250mm D x 45mm H. 6,000mm² per unit. Black.
Rytons TV600F5D 	Rytons Deep Flyscreened Roof Ventilator <ul style="list-style-type: none"> Deep flyscreened roof vent tray. Suits 600mm rafter centres. 620mm L x 500mm D x 45mm H. 6,000mm² per unit. Black. 	Rytons RYTComb 	Rytons RytComb <ul style="list-style-type: none"> Combed strip to prevent birds, large insects and vermin entering the roof void through profiled tiles. 1m L x 18mm D strip x 54mm H. Black.
Rytons MESH 	Rytons Mesh <ul style="list-style-type: none"> Multi-purpose mesh. 4mm x 4mm diamond holes. 145mm W x per metre. Full roll 100m L. Black high density polyethylene. 		

Product Guides & Services

As a UK ventilation manufacturer since 1972, we use all our expertise and experience to bring you outstanding product ranges and a service you can rely on.

View our product ranges, product guides and videos at www.vents.co.uk

- Boiler, Stove & Fire Ventilators (including Acoustic)
- Background Room Ventilators (including Acoustic)
- Louvre and Hit & Miss Ventilators
- Cavity Weeps, Slim Vents® & Air Bricks
- Roof Ventilators
- RytDuct® and RytHose (Rigid and Flexible Ducting)
- DamRyt® Flood Protection Range



FREE Delivery

Free delivery is available on orders of just **£75 nett** to any address on the UK mainland (including sites).

Next Day Delivery

Confirm your order before 3pm for delivery **next working day** across the majority of the UK mainland. Orders to Northern Ireland and the Republic of Ireland are normally delivered in 2-3 working days.

Here to Help

Call us on **01536 511874** or email admin@rytons.com with your quotes, questions or queries. Our offices are open 8:30am - 5:00pm weekdays and we are always happy to help.

Contact Us

Rytens Building Products Ltd
Design House
Kettering Business Park
Kettering
NN15 6NL

T: 01536 511874
F: 01536 310455
E: admin@rytons.com
www.vents.co.uk

